

COMPOSITION

Concentrate of Laminaire: an exclusivity of AGROCEAN

✓ Boron (B) soluble in water 7,95 % (99,3 g/l)

✓ Molybdenum (Mo) soluble in water 0,48 % (6,00 g/l)

✓ INSTRUCTIONS FOR USE - COMPATIBILITY

VITALGO®+ is applied as a foliar spray diluted in water to give satisfactory coverage, usually between 0.3 and 2 %.

VITALGO®+ can be mixed at the time of spraying with various pesticides to improve their effectiveness*. Poor VITALGO®+ at least in the sprayer.

* This supplier is not liable for the results of these indications. For any other mixture, run a test spraying or consult Agrocéan.

♦ INTERESTS

VITALGO®+, based on the concentrate of LAMINAIRE (deep seaweed), increases the assimilation of trace elements and the growth of the plant. VITALGO®+ stimulates the physiology of the plant.

♦ DOSAGE AND STAGE OF APPLICATION

Rape: 2 I/ha at B stage in autumn or 2 I/ha from C2 and E stage.

Peas: 2 l/ha from 8-10 leaves stage until the middle of flowering.

Sunflower: 2 I/ha from 3 pairs of leaves stage to the beginning of flowering.

Lucerne: 2 I/ha at the resumption of vegetation. Lucerne for seeds: 2 I/ha between the flowering.





AGRIMER - BP 29 - 29880 PLOUGUERNEAU - FRANCE Tel: (33) 2 98 04 54 11 Fax: (33) 2 98 04 55 15

www.agrocean.com

