

SAFETY DATA SHEET

In compliance with EC Regulation No. 1907/2006 Up-dated on: 16/05/2014 – Version: 2.0

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1. Product identification

AGROCEAN 10.3.8

1.2. Relevant identified uses of the substance or mixture

Algae based fertilizer

1.3 Data relative to supplier of Safety data sheet

AGRIMER

Prat Menan - BP 29

29880 PLOUGUERNEAU - FRANCE

Tel: (33) 02 98 04 54 11 Fax: (33) 02 98 04 55 15

1.4. Emergency phone numbers : Or

Orfilla France (INRS): + 33 (0)1 45 42 59 59

Centre Anti–Poison (Rennes): + 33 (0)2 99 59 22 22

SECTION 2 – HAZARD IDENTIFICATION

2.1. Classification of substance or mixture

According to EC Directive 67/548/EC or EC Directive 1999/45/EC: none

According to EC Regulation 1272/2008: none

2.2. Labeling elements

Hazard pictogram: none Hazard statements: none Precautionary statements: none P102: Keep out of reach of children

P103: Read label before use

P501: Dispose of contents / container in accordance with local/regional/ national/ international regulations

2.3. Other hazards:

No further relevant information

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Components with hazard statements:

Component	Classification according to EC Regulation 1272/2008	Classification according to EC Directive 67/548/EEC or EC Directive 1999/45/EC	Composition	Classification of mixture
Potassium nitrate		O, R8	10-20%	No
Formol	Carc. 2 H351	Xn; R20/21/22,	<0.5 %	No

F	DSME3AGRO1038V	AGRO	CEAN 10.3.8	Page	2/7	
		Acute Tox 3 H331	R36/37/38			
		Acute Tox 3 H311	Carc. Cat 3; R40, R43			
		Acute Tox 3 H301				
		Skin irrit 2 H315				
		Eye irrit 2 H319				

Other components:

Gum Xanthan

Laminaria digitata extract

Urea

Diammonic phosphate

SECTION 4 – FIRST AID MEASURES

4.1. Description of first aid measures

In case of:

- Inhalation: not specifically concerned (aqueous liquid), provide fresh air.
- Eyes: rinse immediately and abundantly with water for 15 minutes, and consult an ophthalmologist.
- Skin: remove soiled clothes, rinse abundantly for 15 minutes. Consult a doctor in case of itching and redness.
- Ingestion: rinse mouth with water. Consult a doctor immediately. Do not vomit.

4.2. Most important symptoms and effects, both acute and delayed

Skin sens 1 H317 STOT SE 3 H335

Depending on the type of exposition: redness, stinging, itching, nausea, vomiting, diarrhea...

4.3. Indication of any immediate attention and special treatment needed

No further relevant information available.

SECTION 5 – FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing agents: all types of extinguishing agents are suitable (CO2, extinguishing powder, water spray, alcohol resistant foam...)

Specific hazards: possible emission of toxic fumes. Collect contaminated fire extinguishing water separately and eliminate according to applicable regulation

Protective equipment: fire-fighting masks

5.2. Specific hazards arising from the substance or mixture

No further information available, emissions resulting from combustion may contain sulfur oxides and nitrogen oxides.

5.3. Advice for firefighters

Do not enter or stay in hazardous area without protective clothing and autonomous breathing equipment

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes and skin. Use rubber or latex gloves, and protective eyewear.

6.2. Environmental precautions

Contain spills. Do not reject directly in sewer or in the natural environment (surface or groundwater). Inform authorities of any spills.

6.3. Methods and material for containment and cleaning up

Do not dilute.

Absorb with liquid binding material. Dispose contaminated material as waste according to item 13.

Do not refill original packaging.

6.4. Reference to other sections

See section 8 for information on personal protective equipment See section 13 for disposal information.

SECTION 7 – HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling: use a chemical protection mask, rubber or latex gloves, protective eyewear Avoid spilling and accidental projections. Avoid contact with skin and eyes. Do not breathe vapors. Do not eat, smoke or drink in work area. Wash hands before breaks and after using product.

7.2. Conditions for safe storage, including incompatibilities

Storage: in closed container, away from heat or freezing temperatures. Do not store close to food products or drinks, including animal feed. Stacking of pallets must be limited to 2 pallets.

Container: 1000 liter tank, 5 or 10 liter tank. Do not transfer to other containers. Keep product in original container, well closed and with original labeling.

7.3. Specific end uses

No further relevant information available

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Advice for the workplace: work outdoors or insure a good ventilation/exhaustion at the workplace Limit values for monitoring at the workplace: no studies have been carried out on the mixture

Data relatives to components:

Formaldehyde (< 0.5 %):

DNEL:

Formaldehyde 50-00-0	Local effects
Workers, systemic effects, long-term, skin	240 mg/kg bw/day
Workers, local effects, inhalation	1 mg/m^3
Consumers, systemic effects, long-term, skin contact	102 mg/kg bw/day
Consumers, systemic effects, long-term, inhalation	3,2 mg/m ³
Consumers, systemic effects, long-term, ingestion	4,1 mg/kg bw/day
Workers, systemic effects, long-term, inhalation	9 mg/m ³
Workers, local effects, long-term, skin contact	0,037 mg/cm ²
Workers, local effects, long-term, inhalation	0,5 mg/m ³
Consumers, local effects, long-term, skin contact	0,012 mg/cm ²
Consumers, local effects, long-term, inhalation	0,1 mg/m ³

PNEC:

Formaldehyde 50-00-0	Local effects		
Water	0,47 mg/l		
Sea water	0,47 mg/l		
STP	0,19 mg/l		
Freshwater sediment	2.44 mg/kg dwt		
Ground	0.21 mg/kg dwt		
Marine sediment	2.44 mg/kg dwt		
Intermittent releases	4.7 mg/l		

Others limits values for occupational exposure:

INRS (FR), Medium Exposure Value (MEV) = 0.5 ppm (indicative limit) (VL) INRS (FR), Short-Term Exposure Limit (STEL) = 1 ppm (indicative limit)(VL)

Potassium nitrate (10-20%): PNEC freshwater = 0.45 mg/l PNEC sea water = 0.045 mg/l

8.2. Exposure controls

Monitoring means: occupational health services

Protective equipment

Breathing equipment : P1 filter against aerosols

Protection of skin: gloves resistant against chemicals. Protective clothing (plastic sleeve covers, apron, gloves with sleeve covers, single use suits...) depending on use

Protection of eyes: protective eyewear

Specific hygiene measures: wash hands after handling product. Do not eat, smoke or drink during use of

product.

Protection of the environment: Empty rinsing water of the original container into the spraying tank of

machine for fertilizing.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance: green to brown liquid

Odor: typical **Density:** 1.170 - 1.195pH: 7.3 - 7.7**Solubility:** fully miscible **Melting point:** not determined **Boiling point:** not determined **Decomposition temperature:** not determined Vapor pressure: not applicable Danger of explosion: not applicable **Combustive properties:** not applicable

9.2. Other information

No further relevant information available

SECTEUR 10 - STABILITY AND REACTIVITY

10.1 Reactivity

No available data (no particular risks expected)

10.2 Chemical stability

The product is stable in the normal conditions of use.

The product may change colors in time, without alteration of its properties.

10.3 Possibility of hazardous reactions

No available data (no particular risks expected)

10.4 Conditions to avoid

Storage at temperatures above 40 °C and below -10°C

10.5 Incompatible materials

Do not store in metal containers

10.6 Hazardous decomposition products

No dangerous decomposition products known. In case of fire, see section 5.

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1 Information relative to toxicological effects

No tests carried out on mixture

Acute toxicity: not classified

Data relatives to components:

Formaldehyde (< 0.5 %)

Skin : LD50 = 270 mg/kg (rabbit)

<u>Potassium nitrate (10-20%) :</u>

Oral : DL50 > 3750 mg/kg (rat)

Skin : DL50 = 5000 mg/kg (rat)

Inhalation : CL50 = 527 mg/m3 (rat)

Chronic toxicity: not classified

Formaldehyde (< 0.5 %):

Oral, US EPA: 20 mg/kg/d (rat)

NOAEL: 15 mg/kg/d

Oral, ATSDR : 0.2 mg/kg/d (Gastro) Oral, Santé Canada : 2.6 mg/L

Inhalation, Santé Canada: 0.12 mg/m³

Inhalation, OEHHA: 9 µg/m3

Skin irritation: not classified

Sensitization: no sensitizing effects known

Carcinogenic properties: no available data for mixture

Formaldehyde (< 0.5 %):

INRS, carcinogen category 3

US-EPA Air unit risk : 1,3.10-5 (µg/m³)-1 (squamous cell carcinoma)

OEHHA Inhalation unit risk : 6.10-6 (μg/m³)-1

Mutagenicity: no available data for mixture

Toxicity for reproduction: no available data for mixture

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Toxicity

No studies have been carried out for the mixture.

Components:

Nitrate de potassium (10 – 20%):

Fish: CL50 = 1378 mg/l - 96 h

Daphnies (*Daphnia* sp.) : CE50 = 490 mg/l - 48 h

Algae : NOEC = 1700 mg/l

Formaldehyde (<0.5%):

Fish: LC50 = 100 mg/l (Lepomis macrochirus, 96 h); LC50 = 41 mg/l (Brachydanio rerio, 96 h)

Aquatic invertebrates : EC50 = 42 mg/l (*Daphnia magna*, 24 h) (DIN 38412)

Algae: EC5 = 0.3 mg/l (*Desmodesmus subspicatus*) green algae, 24 h

Bacteria: EC5 = 14 mg/l (*Pseudomonas putida*, 16 h)

12.2 Persistence and degradability

No negative impact expected on wastewater treatment plant. All components are degradable or biodegradable.

12.3 Bioaccumulative potential

No further relevant information

12.4 Mobility in soil

All components are soluble in water

12.5 Results of PBT and vPvB assessments

Not applicable

12.6 Other adverse effects

No further relevant information

SECTION 13 – DISPOSAL CONSIDERATIONS

13.1 Waste treatment method

Residues: Must be disposed according to applicable regulations.

Must not be disposed in sewage system.

Destruction of packaging: Eliminate cardboard, pallets, containers according to applicable regulation.

Recommended cleaning agent: Empty rinsing water of the original container into the spraying tank of machine for

fertilizing.

SECTION 14 - TRANSPORT INFORMATION

14.1. UN number: not regulated

14.2 UN shipping name : not regulated **14.3 Transport hazard class :**

Road (ADR 2011): not regulated
Maritime (IDMG 2011): not regulated

14.4 Packing group: not regulated

14.5 Environmental hazards: not regulated

14.6 Specific precautions by the user : no further information available

14.7 Transport of bulk according to annex II of MARPOL 73/78 convention and IBC Code: not applicable

SECTION 15 – REGULATORY INFORMATION

15.1 Safety, health and environmental regulations specific for the substance or mixture:

Hazard pictograms: none Hazard statements: none

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16 – OTHER INFORMATIONS

The content and the format of the Material Safety Data Sheet comply with EC regulation 1907/2006 and regulation 453/2010.

Details of revision: new format Risk phrases in section 2: none Risk phrases in section 3:

Xn : Harmful O : Oxidizing

R8: Contact with combustible material may cause fire

R20/21/22: Harmful by inhalation, in contact with skin and if swallowed

R36/37/38: Irritating to eyes, respiratory system and skin

R40 : Limited evidence of a carcinogenic effect R43 : May cause sensitization by skin contact

H301 Toxic if swallowed

H311 Toxic in contact with skin

H315: Causes skin irritation

H317: May cause an allergic skin reaction

H319: Causes severe skin burns and eye damage

H331: Toxic if inhaled

H335: May cause respiratory irritation H351: Suspected of causing cancer

P102 : Keep out of reach of children

P103: Read label before use

P501: Dispose of contents / container in accordance with local/regional/ national/ international regulations

This safety data sheet complements the technical instructions of use. The information is based on the current knowledge relative to the product on the date of the update of the document. The manufacturer will not be held responsible for consequences of the use of the product for uses other than the relevant identified use. This document shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.